



ICEMAKERS CATALOGUE

08 **SERIE JS**
Bright Cube

14 **SERIE JP**
Hollow Cube

22 **SERIE JM**
Modular Cube


28 **SERIE JF**
Flake Ice

34 **SERIE G-N**
Nuggets

38 **SERIE JB**
Storage bins

JOLYICE, ICE PROFESSIONALS

Experience,
competence and
dedication, since 1963



The long journey in the professional refrigeration field, led us to the construction of efficient and functional machines for ice production, assuring a long durability over time and simplifying our customer's activities in Horeca sector, and more.

Ice produced by JolyIce machines is used not only for cocktails and beverages preparations, but also in food production sector, in cosmetics, in spa centres and in medical facilities, being versatile and practical. It grants always the best quality standards.

The JolyIce quality starts from raw materials: stainless steel is processed and assembled following the best Lean Production guidelines and techniques, and it takes on new

life by applying the most advanced mechanical and technological systems for ice production and refrigeration.

One of our main goals is to bring added value through the innovation of our products, meeting customer's requirements. We manage the whole design and conception phase in Italy, in addition to the production and engineering processes: since 1995 our company is certified by ISO 9001 Quality Management System.

Our constant commitment is to anticipate and completely satisfy the most sophisticated customers exigencies, with an innovative, reliable, safe and durable product.

OUR ADDED VALUE



Rainbow Technology® (Optional)

The evaporator is the beating heart of the refrigeration system and the device generating the formation of ice. Jolylce developed in its laboratories an additional high-efficiency protection system.

The Rainbow tech® is the patented nano-technological treatment that protects evaporators from aggressive agents as, for instance, those contained in some waters but also from wrong chemicals used for cleaning. A very thin vitrification layer of the evaporator surface grants also a perfect detachment of ice cubes and an insignificant release of metals in the ice.

Furthermore, the limescale formation is reduced for a total durability and food safety.

The Rainbow tech® system is available on demand for: JS, JP, JM.



Kit Ozone (Optional)

Ice can be considered as food. For this reason, our mission is to provide the consumer with clean and organoleptically safe ice.

Jolylce is one of the very first manufacturers to include the use of Ozone to grant a state-of-the-art sanitization of its machines.

Now more than ever, this is the best solution to assure the elimination of bacteria, germs and virus proliferation from food products.

The Ozone sanitization system allows as well to halve the need of maintenance by technicians and cleaning, reducing costs and increasing the machine durability.

Jolylce is unique for its patented management system of Ozone programmable cycle.



100% Natural Gas

Jolylce commitment for environmental protection leads to design ecological machines with natural gas R290.

This refrigerant grants low consumptions, more efficiency and maximum respect for the environment.

The use of no CFC and HCFC assures a minimum environmental impact (GWP 3).



SCT Treatment


Safe coating treatment

On all JS and JP Series evaporators, Jolylce has replaced the usual nickel treatment, adopted on all icemakers, with the SCT treatment. Some studies prove that traditional nickel treatment releases metal molecules in the ice, even if within legal limits.



SCT system allows to obtain values up to 20 times lower than those recommended by the laws and up to 10 times lower compared to traditional nickel plating.



Specific weight 20 g



Specific weight 20 g



SERIES

JS

BRIGHT CUBE

HO.RE.CA.

A full and structured ice cube, with rounded surface for a prolonged beverage cooling.

Its particular transparency is highly appreciated in any context of use.

Compact and transparent, this ice is extremely elegant and efficient for various exigencies: ice buckets, cocktails, aperitifs and whisky on the rocks.

The JS series electrical management system allows complete access to all functions and service setting of the machine, by a simple touch on the capacitive control panel.

TRANSPARENCY



SERIES

JS

JS series icemakers grant a high production capacity, despite their compact dimensions. A very essential design, for an easier placement in every single context.

- LARGE INCORPORATED STORAGE BIN CAPACITY
- STAINLESS STEEL BODY
- EASY-ACCESS FOR INTERNAL CLEANING AND MAINTENANCE
- SUPPLY CABLE WITH SCHUKO PLUG
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- FRONTAL VENTILATION (EXCEPT FOR C28/C28F)
- USB ACCESS WITH PARAMETERS MEMORY
- AUTOMATIC WASHING
- EVAPORATOR ELECTRONIC SENSOR
- STORAGE BIN ELECTRONIC SENSOR

SERIES

JS

BRIGHT CUBE

HO.RE.CA.



Fully electronic range of full-cube icemakers, in accordance with the strictest anti-pollution norms adopting R290 natural gas. Energy saving up to 25% compared with old models.

JS-F range, fully electronic, is available in R 134 gas.

JS 28
JS 28 F



Dimensions (LXPXH):
340 x 480 x 600 mm
Ice kg/24h:
28 (A) | 27 (W)
23 (A) | 21 (W)
Bin capacity: 6,5 kg

JS 28+
JS 28+ F




Dimensions (LXPXH):
400 x 480 x 600 mm
Ice kg/24h:
28 (A) | 28 (W)
25 (A) | 23 (W)
Bin capacity: 7 kg


JS 38
JS 38 F




Dimensions (LXPXH):
400 x 540 x 690 mm
Ice kg/24h:
38 (A) | 36 (W)
36 (A) | 36 (W)
Bin capacity: 11,5 kg


JS 46 
JS 46 F





Dimensions (LXPXH):
500 x 540 x 690 mm
Ice kg/24h:
46 (A) | 41 (W) 
41 (A) | 43 (W)
Bin capacity: 15 kg


JS 54 
JS 54 F





Dimensions (LXPXH):
500 x 580 x 800 mm
Ice kg/24h:
54 (A) | 54 (W) 
52 (A) | 54 (W)
Bin capacity: 22 kg


JS 70 
JS 70 F



Dimensions (LXPXH):
700 x 580 x 995 mm
Ice kg/24h:
70 (A) | 75 (W) 
72 (A) | 70 (W)
Bin capacity: 42 kg

JS 90 
JS 90 F



Dimensions (LXPXH):
700 x 580 x 995 mm
Ice kg/24h:
86 (A) | 88 (W) 
89 (A) | 89 (W)
Bin capacity: 42 kg

SERIES

JS

Rainbow
Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.

Cleaning kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.

Drain-pump kit

External drain pump kit, compatible with all icemakers of the range.

ACCESSORIES &
OPTIONAL

Legs kit

For adapting the ideal machine height, in the installation context.


Ozone Sanitization

For a safe and deep sanitization of your icemaker.
Programmable cycle.



Impurities filter Kit

Special external filter to avoid impurities accumulation inside the icemaker.

Specific weight 21 g



Specific weight 21 g



SERIES

JP

HOLLOW CUBE

HO.RE.CA.

A hollow ice cube, with wide surface for fast beverage cooling. With a simple and essential shape, it grants an extreme flexibility of use.

Soft drinks, cocktails, café and / or other preparations that needs a rapid cooling, will identify JP series hollow ice cube as the perfect ally.

The paddle system is the sole technology suitable to grant the correct machines functioning, also with hard waters full of scale and impurities. JP series is the most versatile, for any type of installation.

VERSATILITY



SERIES

JP

Modern design with rounded corners and fully stainless-steel body. The paddle system with fingers-evaporator is the sole technology suitable to grant the correct machines functioning, also with hard waters full of scale and impurities.

- LARGE INCORPORATED STORAGE BIN CAPACITY
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- AUTOMATIC WASHING
- EXTRACTIBLE FRONTAL AIR FILTER
- FRONT AIR INTAKE/OUTLET
- SUPPLY CABLE WITH SCHUKO PLUG
- STAINLESS STEEL BODY
- USB ACCESS WITH PARAMETERS MEMORY
- LIFTED DRAINS AND SIDE OUTLETS
- SUPPLY CABLE WITH SHUKO PLUG
- STORAGE BIN AND CONDENSER ELECTRONIC SENSOR

SERIES

JP

HOLLOW CUBE

HO.RE.CA.



New hollow ice cube fully electronic icemakers, in accordance with the strictest anti-pollution norms adopting R290 natural gas.

New JP range, fully electronically controlled, is available also in R 134 gas.

JP 23 NANO
JP 23 NANO F



Dimensions (LXPXH):
340 x 545 x 620 mm
Ice kg/24h:
23 (A) | 23 (W)
21 (A) | 19 (W)
Bin capacity: 5 kg

JP 23
JP 23 F




Dimensions (LXPXH):
340 x 545 x 690 mm
Ice kg/24h:
23 (A) | 23 (W)
21 (A) | 19 (W)
Bin capacity: 7 kg


JP 25
JP 25 F




Dimensions (LXPXH):
400 x 545 x 690 mm
Ice kg/24h:
25 (A) | 24 (W)
25 (A) | 23 (W)
Bin capacity: 10 kg


JP 30 
JP 30 F




Dimensions (LXPXH):
400 x 545 x 690 mm
Ice kg/24h:
28 (A) | 27 (W) 
30 (A) | 27 (W)
Bin capacity: 10 kg


JP 36 
JP 36 F




Dimensions (LXPXH):
450 x 545 x 690 mm
Ice kg/24h:
36 (A) | 36 (W) 
37 (A) | 35 (W)
Bin capacity: 12 kg


JP 62 
JP 62 F




Dimensions (LXPXH):
600 x 585 x 956 mm
Ice kg/24h:
62 (A) | 66 (W) 
60 (A) | 58 (W)
Bin capacity: 28 kg


JP 80 
JP 80 F




Dimensions (LXPXH):
700 x 585 x 956 mm
Ice kg/24h:
80 (A) | 81 (W) 
80 (A) | 81 (W)
Bin capacity: 36 kg


JP 45 
JP 45 F




Dimensions (LXPXH):
500 x 600 x 693 mm
Ice kg/24h:
45 (A) | 46 (W) 
45 (A) | 46 (W)
Bin capacity: 16 kg


JP 50 
JP 50 F




Dimensions (LXPXH):
500 x 585 x 956 mm
Ice kg/24h:
50 (A) | 50 (W) 
50 (A) | 48 (W)
Bin capacity: 21 kg


JP 95 
JP 95 F



Dimensions (LXPXH):
800 x 585 x 956 mm
Ice kg/24h:
96 (A) | 105 (W) 
92 (A) | 90 (W)
Bin capacity: 40 kg

JP 150 
JP 150 F



Dimensions (LXPXH):
920 x 650 x 1280 mm
Ice kg/24h:
150 (A) | 151 (W) 
150 (A) | 142 (W)
Bin capacity: 67 kg

SERIES

JP

ACCESSORIES &
OPTIONAL

Rainbow Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.

Legs kit

For adapting the ideal machine height, in the installation context.

Cleaning kit

Cleaning kit including a plastic container for the correct dosage of citric acid and a citric acid package of 1 kg. Useful for carrying out an efficient cleaning cycle.

Ozone Sanitization

For a safe and deep sanitization of your icemaker.
Programmable cycle.


Drain-pump kit

External drain pump kit, compatible with all icemakers of the range.


Impurities filter Kit

Special external filter to avoid impurities accumulation inside the icemaker.



Large
Specific weight 17 g



Dice
Specific weight 10 g



Half-large
Specific weight 6 g



SERIES

JM

MODULAR CUBE

HO.RE.CA.

Full and square ice cube, available in three different sizes DICE, HALF-LARGE and LARGE.

The perfect solution for quick beverage cooling.

High productivity of JM icemakers with vertical evaporator, matched with JolyIce storage bins, is the ideal answer for activities where a huge water consumption is required.

Several applications sectors, these ice cubes are confirmed as the optimal choice in large bars, nightclubs, hotels & resorts, restaurants and fast-food.



MODULARITY



SERIES

JM

New range of modular icemakers, full cube, with vertical evaporator, with a linear and innovative design, characterized by a high reliability and an extreme ease of use. Fully stainless-steel structure and very easy to inspect. This line of icemakers represents the best solution for whatever activity with high consumption of ice. A uniform and constant flow distributes the water on a chilled surface, specifically designed to achieve a high volume of ice.

- HIGH PRODUCTION CAPACITY AND COMPATIBILITY WITH JOLYICE STORAGE BINS
- STAINLESS STEEL BODY
- CAPACITIVE TOUCH CONTROL FOR STAND-BY AND RESET
- AUTOMATIC WASHING
- USB ACCESS WITH PARAMETERS MEMORY
- SIDE FILTER WASHABLE AND EXTRACTIBLE

SERIES

JM



MODULAR CUBE


HO.RE.CA.

New range of modular JM icemakers, completely electronic, respects the most stringent environmental parameters.


JM icemakers adopt the most advanced technology to assure the minimal environmental impact, and also the highest safety standards.


The proposed models are ecological, using Propane 100% natural gas (R290).

JM-F, completely electronic, is available with R452a gas.


JM 145 
JM 145 F





Dimensions (LXPXH):
560 x 620 x 575 mm
Ice kg/24h:
150 (A) | 135 (W) 
143 (A) | 129 (W)
Bin capacity:
pages 44-45


JM 195 
JM 195 F





Dimensions (LXPXH):
560 x 620 x 660 mm
Ice kg/24h:
210 (A) | 200 (W) 
212 (A) | 205 (W)
Bin capacity:
pages 44-45


JM 205 
JM 205 F




Dimensions (LXPXH):
760 x 620 x 575 mm
Ice kg/24h:
220 (A) | 210 (W) 
240 (A) | 215 (W)
Bin capacity:
pages 44-45


JM 305 
JM 305 F




Dimensions (LXPXH):
760 x 620 x 575 mm
Ice kg/24h:
300 (A) | 270 (W) 
300 (A) | 265 (W)
Bin capacity:
pages 44-45


JM 405 
JM 405 F



Dimensions (LXPXH):
760 x 620 x 725 mm
Ice kg/24h:
405 (A) | 340 (W) 
430 (A) | 352 (W)
Bin capacity:
pages 44-45

JM 505 
JM 505 F



Dimensions (LXPXH):
760 x 620 x 725 mm
Ice kg/24h:
450 (A) | 405 (W) 
460 (A) | 415 (W)
Bin capacity:
pages 44-45

SERIES

JM

Rainbow
Technology

Nano-technological patented treatment that strengthens and protects evaporators from aggressive agents and scaling.

ACCESSORIES &
OPTIONAL

Ozone Kit


For a safe and deep sanitization of your icemaker, available for the combined bin.

Flake

25% water content

Super flake

15% water content



SERIES

JF

FLAKE ICE

HO.RE.CA.
ALIMENTAIRE
INDUSTRIEL
HOSPITALIER

Granular ice is an asset in many sectors, thanks to its multiple uses: from food conservation and display, to cocktails preparation, to applications in SPAs, in the world of cosmetics, in medical and hospital environments.

This type of very wet ice is particularly appreciated also in the bakery sector.

Granular ice is very easy to handle, stock and weigh. Its peculiarity is the high residual-water content that, depending on model, may vary from 25% to 15%.

FRESHNESS



SERIES

JF

New range of granular icemakers, with capacity up to 1.000 Kg/day.

Granular ice is generated by a vertical cylindrical evaporator, with a screw-conveyor, that scrapes the internal surface of the ice pulling it to the outlet of the machine, where ice-crunching system is located.

This system guarantees even ice quality and a minimal residual water. The JF line includes self-contained models and bin-combined versions, to be paired to the vast selection of JolyIce bins.

- STAINLESS STEEL BODY
- EASY TO INSPECT INTERIORS
- CAPACITIVE TOUCH-KEY FOR STAND-BY AND RESET
- COMPATIBILITY WITH JOLYICE STORAGE BINS
- USB PORTAL TO CHECK ALL THE WORKING HISTORY PARAMETERS

SERIES

JF

HOLLOW CUBE

HO.RE.CA.



The new machines of the JF line are also available in ecological version R290, utilizing propane gas, 100% natural with zero environmental impact: the state-of-the-art technology to safeguard the environment at best.

JF-F line, completely electronic, is available with R 134a - R452a gas.

JF 95 C
JF 95 C-F



Dimensions (LXPXH):
500 x 600 x 695 mm
Ice kg/24h:
90 (A) | 90 (W)
94 (A) | 94 (W)
Bin capacity: 18 kg

JF 130 C
JF 130 C-F




Dimensions (LXPXH):
500 x 600 x 695 mm
Ice kg/24h:
130 (A) | 130 (W)
120 (A) | 120 (W)
Bin capacity: 18 kg


JF 160 C
JF 160 C-F




Dimensions (LXPXH):
700 x 620 x 995 mm
Ice kg/24h:
160 (A) | 165 (W)
160 (A) | 164 (W)
Bin capacity: 50 kg


JF 200 C 
JF 200 C-F




Dimensions (LXPXH):
700 x 620 x 995 mm
Ice kg/24h:
205 (A) | 205 (W) 
200 (A) | 200 (W)
Bin capacity: 50 kg


JF 125 
JF 125 F




Dimensions (LXPXH):
565 x 540 x 535 mm
Ice kg/24h:
130 (A) | 130 (W) 
120 (A) | 120 (W)


JF 505 
JF 505 F




Dimensions (LXPXH):
540 x 665 x 790 mm
Ice kg/24h:
570 (A) | 570 (W) 
540 (A) | 540 (W)


JF 205 
JF 205 F




Dimensions (LXPXH):
565 x 540 x 535 mm
Ice kg/24h:
205 (A) | 205 (W) 
200 (A) | 200 (W)


JF 305 
JF 305 F



Dimensions (LXPXH):
540 x 665 x 650 mm
Ice kg/24h:
320 (A) | 330 (W) 
320 (A) | 330 (W)

JF 1005 
JF 1005 F



Dimensions (LXPXH):
1065 x 700 x 850 mm
Ice kg/24h:
1180 (A) | 1180 (W) 
1160 (A) | 1100 (W)

ACCESSORIES & OPTIONAL



SERIES

JF

Ozone kit

For a safe and deep sanitization of your icemaker, available for self-contained models or for the combined bins.
Programmable cycle.

Specific weight 1 g, approximately 8% water content



SERIES

G-N

NUGGETS

HO.RE.CA.

Nuggets-shaped has the characteristics of being both compact and pleasant to chew, being half-way between granular ice and solid ice cubes.

It is the ideal ice for the creation of cocktails where crunched ice is needed as caipirinhas, mojitos or caipiroskas.

Nuggets format ice has a low water content and may be used in many spaces as: cocktails-bars, disco-clubs, professional catering and restaurants, centralized kitchens and the medical sector as well.

COMPACTNESS



SERIES

G-N

The range of icemakers "nugget" type is based on two models, with different production capacities, to be combined with a separate bin.

The "nugget" type ice is created via a vertical and cylindrical evaporator, equipped with a screw-conveyor, that scrapes the internal surface of the ice pulling it to the outlet of the machine, where an extruder presses the ice into small cylinders.

These machines to be paired to the vast selection of JolyIce bins.

- GREAT PRODUCTION CAPACITY
- STAINLESS STEEL BODY SHELL
- FRONT-FACING AIR INTAKE AND OUTLET
- EASY MANAGEMENT OF THE ICE
- ONLY 8% RESIDUAL WATER IN ICE
- COMPATIBILITY WITH JOLYICE BINS

SERIES

G-N

NUGGETS

HO.RE.CA.


G-N range is available only in R452a gas.

ACCESSORIES & OPTIONAL

Ozone Kit


For a safe and deep sanitization of your icemaker, available for the combined bin.

NU
G-N 270 F



Dimensions (LXPXH):
538 x 663 x 645 mm
Ice kg/24h:
320 (A) | 305 (W)
Bin capacity:
pages 44-45

NU
G-N 470 F



Dimensions (LXPXH):
538 x 663 x 794 mm
Ice kg/24h:
570 (A) | 640 (W)
Bin capacity:
pages 44-45

SERIES

JB

**STORAGE
BINS**

The JolyIce bins are entirely designed internally to match whatever users' need.

The high quality of materials and the construction technology constitute the ideal solution for whoever may need to preserve significant amount of ice, long term.

Stainless steel and deep-formed food-quality plastic, processed with silver-salts antibacterial treatment, combined with the possibility to install the Ozone sanitization system, render those bins extremely food-safe and easy to clean.

SAFETY



STORAGE BINS

JB

Robust and elegant, the JB series bins are made in fully insulated steel, with shock-resistant hatch and incorporated shovel.

JB 255



Dimensions (LXPXH):
770 x 880 x 1270 mm
Bin capacity (kg):
243 granular / 191 cube

JB 305



Dimensions (LXPXH):
1081 x 824 x 968 mm
Bin capacity (kg):
252 granular / 197 cube

JB 105



Dimensions (LXPXH):
568 x 848 x 1045 mm
Bin capacity (kg):
129 granular / 101 cube

JB 155



Dimensions (LXPXH):
568 x 880 x 1270 mm
Bin capacity (kg):
168 granular / 132 cube

JB 205



Dimensions (LXPXH):
769 x 848 x 1048 mm
Bin capacity (kg):
181 granular / 141 cube

JB 405



Dimensions (LXPXH):
1235 x 873 x 1272 mm
Bin capacity (kg):
406 granular / 319 cube

JB 505



Dimensions (LXPXH):
1331 x 880 x 1270 mm
Bin capacity (kg):
478 granular / 375 cube

STORAGE BINS

JUB

The JUB series bins have a robust steel structure, are suitable for heavy loads and flaunt a spring-loaded hatch, with a Teflon paddle provided.

JUB 700



Dimensions (LXPXH):
1524 x 1128 x 1735 mm
Bin capacity (kg):
812 granular / 637 cube

STORAGE BINS

JBR

The JBR series bins are externally made in steel and internally in food-quality polyethylene. Equipped with trolley and Teflon paddle, they dose the ice from the outlet drawer.

JBR 320



Dimensions (LXPXH):
885 x 1267 x 1803 mm
Bin capacity (kg):
318-391 granular / 249-306 cube

JUB 500



Dimensions (LXPXH):
1220 x 1125 x 1428 mm
Bin capacity (kg):
553 granular / 434 cube

JUB 1000



Dimensions (LXPXH):
1830 x 1470 x 1290 mm
Bin capacity (kg):
1063 granular / 838 cube

JBR 140



Dimensions (LXPXH):
884 x 1025 x 1343 mm
Bin capacity (kg):
137-210 granular / 107-164 cube


JBR 620




Dimensions (LXPXH):
1753 x 1267 x 1803 mm
Bin capacity (kg):
613-759 granular / 481-595 cube

**MATCHING TABLE
ICEMAKER / STORAGE BIN**

	STORAGE BINS	JB 105	JB 155	JB 205	JB 255	JB 305
MODELS	Kg /24 h	129	168	181	243	252
JM 145	143 (A) 290 (W)  150 (A) 135 (W)			KM 205-255	KM 205-255	
JM 195	212 (A) 205 (W)  210 (A) 200 (W)			KM 205-255	KM 205-255	
JM 205	240 (A) 215 (W)  220 (A) 210 (W)					KM 305
JM 305	300 (A) 265 (W)  300 (A) 270 (W)					KM 305
JM 405	430 (A) 352 (W)  405 (A) 340 (W)					KM 305
JM 505	460 (A) 415 (W)  450 (A) 405 (W)					KM 305
JF 125	120 (A) 120 (W)  130 (A) 130 (W)	*KFD 105-155	*KFD 105-155	KF 205-255	KF 205-255	KF 305
JF 205	200 (A) 200 (W)  205 (A) 205 (W)	*KFD 105-155	*KFD 105-155	KF 205-255	KF 205-255	KF 305
JF 305	320 (A) 330 (W)  320 (A) 330 (W)	KFC 105-155	KFC 105-155	KF 205-255	KF 205-255	KF 305
JF 505	540 (A) 540 (W)  570 (A) 570 (W)			KF 205-255	KF 205-255	KF 305
JF 1005	1160 (A) 1100 (W)  1180 (A) 1180 (W)					
G-N 270	270 (A) 270 (W)	KFC 105-155	KFC 105-155	KF 205-255	KF 205-255	KF 305
G-N 470	470 (A) 470 (W)			KF 205-255	KF 205-255	KF 305

 Machine-storage compatibility
no lid needed

 K... Lid name

* Included

JB 405	JB 505	JUB 500	JUB 700	JUB 1000	JBR 140	JBR 320	JBR 620
406	478	553	812	1068	210	391	759
KFM 405	KFM 505						
KFM 405	KFM 505						
KFM 405	KFM 505						
KFM 405	KFM 505						
KFM 405	KFM 505						
KFM 405	KFM 505						
KFM 405	KFM 505						
KFM 405	KFM 505						
		KF 1000 x 2	KF 1000 x 2	KF 1000 x 2			KF 1000 x 2
KFM 405	KFM 505						
KFM 405	KFM 505						

Via del lavoro, 9
31033 Castelfranco Veneto (TV) Italy
Tel. +39 0423 738452
www.castelmac.eu
www.jolyice.eu

an Ali Group Company



The Spirit of Excellence